

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>

ADAPTERS

| | |
|--|---|
| 1203 Adapter, Parachute Harness, Quick Fit..... | 2 |
| 1212 Adapter, Quick Fit, Reversible with tensioner & spring..... | 2 |
| 1232 Adapter, Strap Adjusting | 2 |
| 1236 Adapter, Quick Fit, Small Frame | 2 |
| 1236 Adapter, Quick Fit, Small Frame, Racing | 3 |
| 1238 Adapter, Harness Strap, Uneven Slide..... | 3 |
| 1245 Adapter, Parachute Harness Adjusting Strap..... | 3 |
| 1246 Adapter, Reversible, Quick Fit | 3 |
| 1257 Adapter, Reversible, Quick Fit | 4 |
| 1270 Adapter, Parachute Harness, Quick Release..... | 4 |
| 1270 Adapter, Quick Release | 4 |
| 2009SS Adapter, Parachute Harness Assembly | 4 |
| 2019S Adapter, Parachute Harness Adjusting Strap | 4 |
| 2052-1 Adapter, Parachute Harness Adjusting Strap | 5 |

"If It Has to Be Tough, Forge It"

ADAPTERS

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



1203 Adapter, Parachute Harness, Quick Fit

Military/Parachute

1203-1 PS22040-1

1203-2 PS22040-2

Fall Arrest/Safety

1203-1S/1203-1G

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ 100% Proof Load Tested @ 2500 lbs. and
- ✓ 100% Side Load Tested @ 1000 lbs.
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 3.1 ounces
- ✓ Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01



1212 Adapter, Quick Fit, Reversible with tensioner & spring

Military/Parachute

1212-1 PS70124-1

Fall Arrest/Safety

1212-1S

- ✓ Hot Forged Alloy Steel
- ✓ 100% Proof Load Tested @ 2500 lbs.
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 4.0 ounces
- ✓ Meets or exceeds PIA-H-7195 and ANSI Z-359.2



1232 Adapter, Strap Adjusting

Military/Parachute

1232-3 PS22014-3

Fall Arrest/Safety

1232-3S

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ 100% Proof Load Tested @ 1000 lbs.
- ✓ 100% Side Load Tested @ 1000 lbs.
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 1.7 ounces
- ✓ Meets or exceeds PIA-H-7195 and ANSI Z-359.2



1236 Adapter, Quick Fit, Small Frame

Military/Parachute

1236-1 PS70114-1

Fall Arrest/Safety

1236-1S/1236-1G

- ✓ Hot Forged Alloy Steel
- ✓ 100% Proof Load Tested @ 2500 lbs.
- ✓ 100% Side Load Tested @ 1000 lbs.
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 2.0 ounces
- ✓ Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01

"If It Has to Be Tough, Forge It"

ADAPTERS

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



**1236 Adapter, Quick Fit,
Small Frame, Racing**
Racing Harness
1236-1S

- ✓ Hot Forged Alloy Steel
- ✓ 100% Proof Load Tested @ 2500 lbs.
- ✓ 100% Side Load Tested @ 1000 lbs.
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 2.0 ounces
- ✓ Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01
- ✓ NASCAR Approval Pending



**1238 Adapter, Harness Strap,
Uneven Slide**
Military/Parachute
1238-1 PS22047-1
1238-2 PS22047-2
Fall Arrest/Safety
1238-1S
1238-1G

- ✓ Stamped Sheet Metal Alloy
- ✓ 100% Proof Load Tested @ 1000 lbs.
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 1.0 ounces
- ✓ Meets or exceeds PIA-H-7195 and ANSI Z-359.2



**1245 Adapter, Parachute
Harness Adjusting Strap**
Military/Parachute
1245-1 PS22014-2
Fall Arrest/Safety
1245-1S

- ✓ Hot Forged Alloy Steel
- ✓ 100% Proof Load Tested @ 1000 lbs.
- ✓ 100% Side Load Tested @ 1000 lbs.
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 1.7 ounces
- ✓ Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01



**1246 Adapter, Reversible,
Quick Fit**
Military/Parachute
1246-1 PS22019-1
Fall Arrest/Safety
1246-1S

- ✓ Hot Forged Alloy Steel
- ✓ 100% Proof Load Tested @ 2500 lbs.
- ✓ 100% Side Load Tested @ 1000 lbs.
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 3.0 ounces
- ✓ Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01

"If It Has to Be Tough, Forge It"

ADAPTERS

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



1257 Adapter, Reversible, Quick Fit

Military/Parachute

1257-1 PS70101-1

1257-2 PS70101-2

1257-3 PS70101-3

Fall Arrest/Safety

1257-1S

1257-1G

- ✓ Stamped Sheet Metal Alloy
- ✓ 100% Proof Load Tested @ 500 lbs
- ✓ 100% Side Load Tested @ 200 lbs.
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 1.3 ounces
- ✓ Meets or exceeds PIA-H-7195 and ANSI Z-359.2



1270 Adapter, Parachute Harness, Quick Release

Military/Parachute

1270-1 44A9360

- ✓ Stamped Sheet Metal Alloy
- ✓ Thermal Treated
- ✓ 100% Proof Load Tested @ 2500 lbs.
- ✓ Approximate weight 1.7 ounces
- ✓ Meets or exceeds PIA-H-7195



1270 Adapter, Quick Release

Racing Harness

1270-1S

Fall Arrest/Safety

1270-1S

1270-1G

- ✓ Stamped Sheet Metal Alloy
- ✓ Thermal Treated
- ✓ Minimum Tensile Strength 4000 lbs.
- ✓ Approximate weight 1.7 ounces
- ✓ Meets or exceeds ANSI Z-359.2 and SFI 16.1
- ✓ NASCAR Approval Pending



2009SS Adapter, Parachute Harness Assembly

2009-SS 814AS802

- ✓ Hot Forged 15-5PH Stainless Steel
- ✓ Thermal Treated
- ✓ 100% Proof Load Tested @ 2500 lbs. and
- ✓ 100% Side Load Tested @ 1000 lbs.
- ✓ Approximate weight 1.7 ounces
- ✓ Meets or exceeds PIA-H-7195



2019S Adapter, Parachute Harness Adjusting Strap

Military/Parachute

1979AS611

- ✓ Hot Forged 15-5 PH Steel
- ✓ Thermal Treated
- ✓ 100% Proof Load Tested @ 1,000 lbs
- ✓ 100% Side Load Tested @ 1,000 lbs
- ✓ Approximate weight 1.5 ounces
- ✓ Meets or exceeds PIA-H-7195


"If It Has to Be Tough, Forge It"

ADAPTERS

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



**2052-1 Adapter, Parachute
Harness Adjusting Strap
Military/Parachute**

PS22014-1
MS22014-1

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ Cad Plated
- ✓ 100% Proof Load Tested @ 1,000 lbs
- ✓ 100% Side Load Tested @ 1,000 lbs
- ✓ Meets or exceeds PIA-H-7195

"If It Has to Be Tough, Forge It"

ADAPTERS