

# Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247  
<http://www.bourdonforge.com>

## LATCH and BASE ASSEMBLIES

1273 Latch & Base Assembly, Lap Safety Belt, Quick Release, 3" web slot..... 2

1274 Latch & Base Assembly, Lap Safety Belt, Quick Release, 1-3/4" web slot ..... 2

1281 Latch & Base Assembly, Lap Safety Belt Quick Release, 3" web slot..... 2

1282 Latch & Base Assembly, Quick Release Lap Belt, 1-3/4" web slot..... 3

2007 Latch Base, 2" ..... 3

**"If It Has to Be Tough, Forge It"**  
**LATCH and BASE ASSEMBLIES**

# Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



**1273 Latch & Base Assembly,  
Lap Safety Belt, Quick  
Release, 3" web slot**  
Racing  
1273-1

- Hot Forged Alloy Steel
- 100% Proof Load Tested @ 3000 lbs.
- Approximate weight 5.3 ounces
- Meets or exceeds SFI 16.1



**1274 Latch & Base Assembly,  
Lap Safety Belt, Quick  
Release, 1-3/4" web slot**  
Racing  
1274-1

- Hot Forged Alloy Steel
- 100% Proof Load Tested @ 3000 lbs.
- Approximate weight 4.8 ounces
- Meets or exceeds SFI 16.1



**1281 Latch & Base Assembly,  
Lap Safety Belt Quick  
Release, 3" web slot**  
Racing  
1281-1S

- Hot Forged Alloy Steel
- 100% Proof Load Tested @ 3000 lbs.
- Approximate weight 12.0 ounces
- Meets or exceeds SFI 16.1

**"If It Has to Be Tough, Forge It"**  
**LATCH and BASE ASSEMBLIES**

# Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



## 1282 Latch & Base Assembly, Quick Release Lap Belt, 1- 3/4" web slot

Racing

1282-1

55C1303M

- Hot Forged Alloy Steel
- Thermal Treated
- 100% Proof Loaded @ 1250 lbs.
- Approximate weight 4.0 ounces
- Meets or exceeds SFI.16.1
- NASCAR Approval Pending



## 2007 Latch Base, 2"

Racing

- Hot Forged Alloy Steel
- Thermal Treated
- Zinc Plated
- 100% Proof Load Tested @ 3,000 lbs
- Meets or exceeds SFI.16.1
- NASCAR Approval Pending

**"If It Has to Be Tough, Forge It"**  
**LATCH and BASE ASSEMBLIES**