

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>

O-RINGS

1268 O-Ring, Reefing Ring.....	2
1298 O-Ring, 3" O.D. - 2.25" I.D.	2
1689S Ring, Container Lift.....	2
2004-1 O-Ring, 4" O.D. - 3" I.D.....	2
2005 O-Ring, Parachute Ring 2	3
2006 O-Ring, Parachute Ring 3	3
2032 O-Ring, 1.671" O.D. - 1.296" I.D.	3
2035 O-Ring, No. 3, 1.255" O.D. - .870" I.D.	3
2048 O-Ring, 4.125" O.D. - 3.0" I.D.	4
2058 O-Ring, 2.25" O.D. - 1.75" I.D.	4
2059 O-Ring, 2.203" O.D.- 1.500" I.D.	4
2068 O-Ring, No. 4, .810" O.D. - .540" I.D.	4
2073 O-Ring, 1.375" O.D. - .875" I.D.	5
2085 Basic Lift Ring.....	5

"If It Has to Be Tough, Forge It"

O-RINGS

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



**1268 O-Ring
Reefing Ring**
Military/Parachute
1268-1
PS27762
48A7995

- ✓ Carbon Steel
- ✓ Approximate weight 1.0 ounces
- ✓ Meets or exceeds PIA-H-7195



1298 O-Ring
3" O.D. - 2.25" I.D.
Military/Parachute
1298-1 11-1-599
Cargo/Fall Arrest/Safety
1298-1S
1298-1G

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ Zinc Plated
- ✓ 100% Proof Load Tested @ 3,600 lbs
- ✓ Meets or exceeds PIA-H-7195
- ✓ Meets or exceeds ANSI Z-359.2 and CSA Z-259.12-0



1689S Ring
Container Lift
Military/Cargo

6214106

- ✓ Hot Forged Stainless Steel
- ✓ Thermal Treated
- ✓ 100% Proof Load Tested @ 5,000 lbs



2004-1 O-Ring
4" O.D. - 3" I.D.
Cargo/Commercial

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ Zinc Plated
- ✓ Ultimate Load - 33,750 lbs.
- ✓ Approximate weight 10 oz.
- ✓ Meets or exceeds ANSI Z-359.2 and CSA Z-259.12-01

"If It Has to Be Tough, Forge It"

O-RINGS

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



**2005 O-Ring
Parachute Ring 2**
Parachute
2005-1 924065
Engineered to mate with 2006

- ✓ Hot Forged Alloy Steel
- ✓ Electroless Nickel Finish
- ✓ 100% Proof Load Tested @ 3000 lbs.
- ✓ Approximate weight 2.0 ounces
- ✓ Meets or exceeds PIA-H-7195 and PIA-H-7195



**2006 O-Ring
Parachute Ring 3**
Parachute
2006-1 924075
Engineered to mate with 2005

- ✓ Hot Forged Alloy Steel
- ✓ Electroless Nickel Finish
- ✓ 100% Proof Load Tested @ 3000 lbs.
- ✓ Approximate weight 2.0 ounces
- ✓ Meets or exceeds PIA-H-7195 and PIA-H-7195



2032 O-Ring
1.671" O.D. - 1.296" I.D.
Military/Parachute
11-1-3539

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ Cad Plated
- ✓ 100% Proof Load Tested @ 600 lbs
- ✓ Also available in Hot Forged 17-4 PH Stainless Steel with high luster finish
- ✓ Meets or exceeds PIA-H-7195



2035 O-Ring, No. 3
1.255" O.D. - .870" I.D.
Military/Parachute
11-1-3540

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ Cad Plated
- ✓ 100% Proof Load Tested @ 600 lbs
- ✓ Meets or exceeds PIA-H-7195

"If It Has to Be Tough, Forge It"

O-RINGS

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



2048 O-Ring
4.125" O.D. - 3.0" I.D.
Cargo/Military

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ Zinc Plated
- ✓ Ultimate Load 40,000 lbs
- ✓ Meets or exceeds PIA-H-7195



2058 O-Ring
2.25" O.D. - 1.75" I.D.
Parachute

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ Cad Plated
- ✓ 100% Proof Load Tested @ 2,500 lbs
- ✓ Meets or exceeds PIA-H-7195



2059 O-Ring
2.203" O.D.- 1.500" I.D.
Parachute

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ Cad Plated
- ✓ 100% Proof Load Tested @ 7,500 lbs
- ✓ Meets or exceeds PIA-H-7195



2068 O-Ring, No. 4
.810" O.D. - .540" I.D.
Military/Parachute
11-1-3541

- ✓ Alloy Steel
- ✓ Thermal Treated
- ✓ Cad Plated
- ✓ 100% Proof Load Tested @ 600 lbs
- ✓ Meets or exceeds PIA-H-7195

"If It Has to Be Tough, Forge It"

O-RINGS

Bourdon Forge Company

Phone (860) 632-2740 FAX (860) 632-7247

<http://www.bourdonforge.com>



2073 O-Ring
1.375" O.D. - .875" I.D.
Military/Parachute
66 B 1717

- ✓ Hot Forged Alloy Steel
- ✓ Thermal Treated
- ✓ Cad Plated
- ✓ 100% Proof Load Tested @ 2,500 lbs
- ✓ Meets or exceeds PIA-H-7195



2085 Basic Lift Ring
Cargo/Military
2085-1S 7115446

- ✓ Hot Forged 17-4PH Stainless Steel
- ✓ Thermal Treated
- ✓ 100% Proof Load Tested @ 5,000 lbs

"If It Has to Be Tough, Forge It"

O-RINGS